

Safety Data Sheet

according to the WHS Regulations Issue date: 15/02/2023 Version: 1.0

SECTION 1: Product identifier	
1.1. GHS Product identifier	
Product form Product name Product code	 Mixture Stamp Pad Ink (Various Colours) 12980 12985 12986 12987 12988 12995 13005 13020 13030 13038 13040 13050 13058 13070 13072
1.2. Other means of identification	
Synonyms	: Black;Red;Blue;Green;Violet;Orange
1.3. Recommended use of the chemical an	d restrictions on use
Recommended use Restrictions on use	: Use: Refer to manufacturer's information : Not to be used for any purpose other than the one the product was designed for
1.4. Details of manufacturer or importer	
Supplier Signet Pty Ltd 56 Ingleston Rd WAKERLEY, QLD 4154 Australia T +61 (07) 3179 2100 sales@signet.net.au - www.signet.net.au	
1.5. Emergency phone number	
Emergency number	: Office hours: +61 (07) 3179 2100 Poisons Information Centre (24 h): 13 11 26
SECTION 2: Hazard identification	
2.1. Classification of the hazardous chemic	cal
Classification according to the model Work Heal Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2A Specific target organ toxicity – Repeated exposure, 2.2. GHS Label elements, including precau	H315 H319 Category 2 H373

Hazard picto

Hazard pictograms (GHS AU)	
	Exclamation Health hazard
	mark
Signal word (GHS AU)	: Warning
Contains	: ethylene glycol monobutyl ether (30 – 60 %)
Hazard statements (GHS AU)	: H315 - Causes skin irritation
	H319 - Causes serious eye irritation
	H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary statements (GHS AU)	: P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P280 - Wear eye protection, protective clothing, protective gloves.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.

Safety Data Sheet

according to the WHS Regulations

P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients		
Name	CAS-No.	%
ethylene glycol monobutyl ether	111-76-2	30 – 60

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Symptoms caused by exposure	
- ,	: Irritation. : Eye irritation.
4.3. Medical attention and special treatment	
Other medical advice or treatment	: Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Unsuitable extinguishing media are not known.	
5.2. Specific hazards arising from the chemical		
General measures Hazardous decomposition products in case of fire	 No action shall be taken without appropriate training or involving any personal risk. Notify authorities if product enters sewers or public waters. Toxic fumes may be released. 	
5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions	 Exercise caution when fighting any chemical fire. Keep upwind. Fight fire from safe distance and protected location. Do not attempt to take action without suitable protective equipment. Self-contained 	
Protection during firefighting	breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equipment and emergency procedures	
General measures	: No action shall be taken without appropriate training or involving any personal risk. Notify authorities if product enters sewers or public waters.

Safety Data Sheet

according to the WHS Regulations

6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and materials for containment	nt and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Ensure good ventilation of the work station. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2 Conditions for safe storage including	any incompatibilities

7.2. Conditions for safe storage, including any incompatibilities	
Technical measures	: Does not require any specific or particular technical measures.
Storage conditions	: Store in a well-ventilated place. Keep cool.
Information on mixed storage	 Store away from incompatible materials and products. Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity.
Storage area	: Keep out of direct sunlight.
Special rules on packaging	: Position containers so that any labeling information is visible. Keep packaging closed when not in use. Check containers and packaging regularly for leaks and damage.
Packaging materials	: Keep only in original packaging.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

ethylene glycol monobutyl ether (111-76-2)	
Australia - Occupational Exposure Limits	
Local name	2-Butoxyethanol (Butyl cellosolve; Butyl glycol; Ethylene glycol monobutyl ether; Glycol monobutyl ether)
OES TWA [1]	96.9 mg/m³
OES TWA [2]	20 ppm
OES STEL	242 mg/m ³
OES STEL [ppm]	50 ppm
Remark (AU)	Sk - Absorption through the skin may be a significant source of exposure.
Regulatory reference	Workplace exposure standards for airborne contaminants (2019)
8.2. Monitoring methods	
Monitoring methods :	Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents.

Safety Data Sheet

according to the WHS Regulations

8.3. Engineering controls

.	
Appropriate engineering controls	: Ensure good ventilation of the work station.
8.4. Individual protection measures, such as	personal protective equipment (PPE)
Personal protective equipment	: Personal protective equipment (PPE) must be suited to the nature of the work and any hazard associated with the work as identified by the risk assessment conducted. Avoid all unnecessary exposure. Ocular shower with suitable liquid.
Hand protection	: Wear protective gloves
Eye protection	: Wear eye protection: Chemical goggles or safety glasses
Skin and body protection	: Wear protective clothing: Long sleeved protective clothing. Wear foot protection
Respiratory protection	: Use half mask to protect the face from liquid splashes
Personal protective equipment symbol(s)	



Consumer exposure controls Other information Personal protective equipment (PPE) is not required when handling individual retail pack.
 PPE compliant to the recommended standards should be selected. The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS210.

SECTION 9: Physical and chemical properties

, , , , , , , , , , , , , , , , , , ,	
Physical state	: Liquid
Appearance	: No data available
Molecular mass	: Not applicable
Colour	: Various colours
Odour	: Not available
Odour threshold	: No data available
рН	: Not available
pH solution	: Not available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point: Not available
Boiling point	: Not available
Flash point	: Not applicable
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Flammability	: No data available
Vapour pressure	: Vapour pressure: Not available
Relative density	: Relative vapour density at 20°C: Not available
Density	: Density: 1.03 – 1.06 kg/l
	Relative density: Not available
Solubility	: Water: Miscible
Partition coefficient n-octanol/water (Log Pow)	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available
VOC content	: Not available
Fat solubility	: No data available

	ivity
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).

SECTION 10: Stability and reactivity

Safety Data Sheet

according to the WHS Regulations

Incompatible materials Hazardous decomposition products	 Strong acids. Strong bases. Strong oxidizers. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified Not classified Not classified	
ethylene glycol monobutyl ether (111-76-2)		
LD50 oral	1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961	
LD50 dermal rat	> 2000 mg/kg Source: ECHA	
Skin corrosion/irritation :	Causes skin irritation. pH: Not available	
Serious eye damage/irritation :	Causes serious eye irritation. pH: Not available	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	May cause damage to organs through prolonged or repeated exposure.	
ethylene glycol monobutyl ether (111-76-2)		
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study), Remarks on results: other:	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard :	Not classified	
ethylene glycol monobutyl ether (111-76-2)		
Animal studies and expert judgment for classification	False	

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity		
	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Hazardous to the aquatic environment, short–term : (acute)	Not classified	
Hazardous to the aquatic environment, long-term : (chronic)	Not classified	
ethylene glycol monobutyl ether (111-76-2)		
LC50 - Fish [1]	1474 mg/l Source: ECHA	
EC50 - Crustacea [1]	1800 mg/l Source: ECHA	
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	≥ 100 mg/l Test organisms (species): Oryzias latipes Duration: '14 d'	
Partition coefficient n-octanol/water (Log Pow)	0.81 Source: ECHA	

Safety Data Sheet

according to the WHS Regulations

12.2. Persistence and degradability				
No additional information available				
12.3. Bioaccumulative potential				
Stamp Pad Ink (Various Colours)				
Partition coefficient n-octanol/water (Log Kow)	Not available			
ethylene glycol monobutyl ether (111-76-2)	1			
Partition coefficient n-octanol/water (Log Pow)	0.81 Source: ECHA			
12.4. Mobility in soil				
Stamp Pad Ink (Various Colours)				
Partition coefficient n-octanol/water (Log Kow)	Not available			
ethylene glycol monobutyl ether (111-76-2)				
Partition coefficient n-octanol/water (Log Pow)	0.81 Source: ECHA			
12.5. Other adverse effects				
	Not classified No additional information available			
Stamp Pad Ink (Various Colours)				
Fluorinated greenhouse gases	False			
ethylene glycol monobutyl ether (111-76-2)				
Fluorinated greenhouse gases	False			

SECTION 13: Disposal considerations

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

ADG	IMDG	ΙΑΤΑ	
14.1. UN number			
Not regulated	Not regulated	Not regulated	
14.2. UN Proper Shipping Name			
Not regulated	Not regulated	Not regulated	
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	
14.4. Packing group			
Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	
14.6. Special precautions for user			
Specific storage requirement Shock sensitivity	No data availableNo data available		

Safety Data Sheet

according to the WHS Regulations

14.7. Additional information

Other information

: No supplementary information available

Transport by road and rail Not regulated

Transport by sea Not regulated

Air transport Not regulated

14.8. Hazchem or Emergency Action Code

Hazchem Code

: Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS : Listed Inventory) status

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Relevant Poisons Schedule number : Unscheduled

15.2. International agreements

No additional information available

SECTION 16: Other information

Indication of changes:

Update of the SDS from former GHS version to the 7th edition of the GHS (GHS 7).

Data sources

: Safe Work Australia - Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals Safe Work Australia - Code of Practice - Labelling of Workplace Hazardous Chemicals Safe Work Australia - Workplace Exposure Standards for Airborne Contaminants Safe Work Australia - Hazardous Chemical Information System (HCIS) Australian Inventory of Industrial Chemicals (AICIS Inventory) Environmental Protection Authority - Hazardous Substances (Hazard Classification) Notice 2020 Environmental Protection Authority - Hazardous Substances (Safety Data Sheets) Notice 2017 Environmental Protection Authority - Hazardous Substances (Labelling) Notice 2017 New Zealand - Chemical Classification and Information Database (CCID) New Zealand - Inventory of Chemicals (NZIoC) European Chemicals Agency (ECHA) - Annex VI (C&L Inventory) European Chemicals Agency (ECHA) - REACH Study Results European Chemicals Agency (ECHA) - REACH Registration Dossiers United Nations - Globally Harmonised System of Classification and Labelling of Chemicals (GHS) Uniform Scheduling of Medicines and Poisons (SUSMP) United Nations Recommendations on the Transport of Dangerous Goods (UNRTDG Model Regulation) Australian Dangerous Goods Code (ADG Code) International Air Transport Association Dangerous Goods Regulations (IATA DGR) International Maritime Dangerous Goods (IMDG Code).

Safety Data Sheet

according to the WHS Regulations

Classification	
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT RE 2	H373

Full text of H-statements		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Acute Tox. 5 (Dermal)	Acute toxicity (dermal), Category 5	
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A	
Flam. Liq. 4	Flammable liquids, Category 4	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
H227	Combustible liquid	
H302	Harmful if swallowed	
H313	May be harmful in contact with skin	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H373	May cause damage to organs through prolonged or repeated exposure	

Safety Data Sheet (SDS), Australia

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.