

Safety Data Sheet

according to the WHS Regulations Issue date: 7/08/2023 Date of revision: 7/08/2023 Version: 1.0

SECTION 1: Product identifier	
1.1. GHS Product identifier	
Product form Product name Product code	:Mixture :Geo Vertical Spray - Fluoro Colours (Orange, Pink, Green) :11963 11964 11965
1.2. Other means of identification	
Synonyms	: Aerosol Marking Paint
1.3. Recommended use of the chemical ar	nd restrictions on use
Recommended use Restrictions on use	 : Use according to manufacturer's directions. Application is by spray atomisation from a hand held aerosol pack. : Not to be used for any purpose other than the one the product was designed for
1.4. Details of manufacturer or importer	
Supplier Signet Pty Ltd 56 Ingleston Rd WAKERLEY, QLD 4154 Australia T +61 (07) 3179 2100 <u>sales@signet.net.au</u> - <u>www.signet.net.au</u>	
1.5. Emergency phone number	
Emergency number	: Office hours: +61 (07) 3179 2100 Poisons Information Centre (24 h): 13 11 26
SECTION 2: Hazard identification	
2.1. Classification of the hazardous chemi	ical
Classification according to the model Work Hea Aerosol, Category 1 Serious eye damage/eye irritation, Category 2A	alth and Safety Regulations (WHS Regulations) H222;H229 H319
2.2. GHS Label elements, including preca	utionary statements
Hazard pictograms (GHS AU)	Flame Exclamation
Signal word (GHS AU) Contains Hazard statements (GHS AU)	mark : Danger : Ethanol 100% (30 – 60 %); Ethyl Acetate (< 30 %); Acrylic Resin (< 10 %) : H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated H319 - Causes serious eye irritation
Precautionary statements (GHS AU)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read carefully and follow all instructions. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Safety Data Sheet

according to the WHS Regulations

	P251 - Do not pierce or burn, even after use. P264 - Wash hands, forearms and face thoroughly after handling.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Additional hazard statements (GHS AU)	: AUH044 - Risk of explosion if heated under confinement.
	Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

Name	CAS-No.	%
Ethanol 100%	-	30 - 60
Ethyl Acetate	141-78-6	< 30
Limestone	1317-65-3	< 10

SECTION 4: First aid measures

4.1. Description of necessary first-aid mea	sures
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse immediately with plenty of water. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Symptoms caused by exposure	
Symptoms/effects after eye contact	: Eye irritation.
4.3. Medical attention and special treatment	nt
Other medical advice or treatment	: Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Unsuitable extinguishing media are not known.
5.2. Specific hazards arising from the chen	nical
Fire hazard Explosion hazard General measures Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Pressurised container: May burst if heated. No action shall be taken without appropriate training or involving any personal risk. Notify authorities if product enters sewers or public waters. Toxic fumes may be released.
5.3. Special protective equipment and prec	autions for fire-fighters
Firefighting instructions	: Exercise caution when fighting any chemical fire. Keep upwind. Fight fire from safe distance and protected location. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to the WHS Regulations

according to the WHS Regulations		
SECTION 6: Accidental release me	asures	
6.1. Personal precautions, protective e	quipment and emergency procedures	
General measures	: No action shall be taken without appropriate training or involving any personal risk. Notify authorities if product enters sewers or public waters.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and materials for contain	ment and cleaning up	
Methods for cleaning up	: Mechanically recover the product.	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin and eyes. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions	 Does not require any specific or particular technical measures. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool. 	
Information on mixed storage	 Store away from incompatible materials and products. Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity. 	
Storage area	: Keep out of direct sunlight.	
Special rules on packaging	: Position containers so that any labeling information is visible. Keep packaging closed when not in use. Check containers and packaging regularly for leaks and damage.	
Packaging materials	: Keep only in original packaging.	

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

Ethyl Acetate (141-78-6)	
Australia - Occupational Exposure Limits	
Local name	Ethyl acetate (Acetic acid ethyl ester; Acetic ester)
Regulatory reference	Workplace exposure standards for airborne contaminants (2019)
Limestone (1317-65-3)	
Australia - Occupational Exposure Limits	
OES TWA [1]	10 mg/m³
Remark (AU)	This value is for inhalable dust containing no asbestos and < 1% crystalline silica

Safety Data Sheet

according to the WHS Regulations

8.2. Monitoring methods	
Monitoring methods	: Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents. Gas detectors should be used when flammable gases/vapours may be released.
8.3. Engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Use spark-/explosionproof appliances and lighting system. Use grounded electrical/mechanical equipment. Handle product within a closed system.
8.4. Individual protection measure	es, such as personal protective equipment (PPE)
	 es, such as personal protective equipment (PPE) Personal protective equipment (PPE) must be suited to the nature of the work and any hazard associated with the work as identified by the risk assessment conducted. Avoid all unnecessary exposure. Ocular shower with suitable liquid.
Personal protective equipment	: Personal protective equipment (PPE) must be suited to the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.
Personal protective equipment Hand protection	 Personal protective equipment (PPE) must be suited to the nature of the work and any hazard associated with the work as identified by the risk assessment conducted. Avoid all unnecessary exposure. Ocular shower with suitable liquid.
8.4. Individual protection measure Personal protective equipment Hand protection Eye protection Skin and body protection	 Personal protective equipment (PPE) must be suited to the nature of the work and any hazard associated with the work as identified by the risk assessment conducted. Avoid all unnecessary exposure. Ocular shower with suitable liquid. Wear protective gloves

Consumer exposure controls Other information

Personal protective equipment (PPE) is not required when handling individual retail pack.
 PPE compliant to the recommended standards should be selected. The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS210.

SECTION 9: Physical and chemical properties

Fat solubility	: No data available
VOC content	: Not available
Minimum ignition energy	: No data available
Explosive limits	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Viscosity, kinematic	: Not available
Partition coefficient n-octanol/water (Log Pow)	: Not available
Solubility	: Water: immiscible
-	Relative density: (Water = 1).
Density	: Density: ≈ 0.8 kg/l
Relative density	: Relative vapour density at 20°C: Not available. (Air=1).
Vapour pressure	: Vapour pressure: Not available
Flammability	: No data available
Decomposition temperature	: Not available
Auto-ignition temperature	: Not available
Flash point	: -81 °C (hydrocarbon propellant).
Boiling point	: Not available
Melting point / Freezing point	: Melting point: Not available
Relative evaporation rate (butylacetate=1)	: No data available
pH solution	: Not available
pH	: Not applicable
Odour threshold	: No data available
Odour	: Not available
Colour	: Various colours
Molecular mass	: Not applicable
Appearance	: Aerosol.
Physical state	: Liquid

Safety Data Sheet

according to the WHS Regulations

SECTION 10: Stability and reactive	vity
Reactivity	: Extremely flammable aerosol. Pressurised container: May burst if heated.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	 Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Incompatible materials	: Strong acids. Strong bases. Strong oxidizers.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should no be produced.

SECTION 11: Toxicological information		
Acute toxicity (dermal)	Not classified Not classified Not classified	
Ethyl Acetate (141-78-6)		
LD50 oral	5620 mg/kg bodyweight	
LD50 dermal	> 18000 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	57700 mg/l	
	Not classified pH: Not applicable	
	Causes serious eye irritation. pH: Not applicable	
	Not classified	
Germ cell mutagenicity :	Not classified	
	Not classified	
	Not classified	
STOT-single exposure :	Not classified	
Ethyl Acetate (141-78-6)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	Not classified	
Aspiration hazard :	Not classified	
Geo Vertical Spray - Fluoro Colours (Orange, Pink, Green)		
Vaporizer	Aerosol	
Viscosity, kinematic	Not available	
Ethyl Acetate (141-78-6)		
Animal studies and expert judgment for classification	False	
Limestone (1317-65-3)		
Animal studies and expert judgment for classification	False	
Ethanol 100%		
Animal studies and expert judgment for classification	False	

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Safety Data Sheet

according to the WHS Regulations

(acute)	Not classified
Ethyl Acetate (141-78-6)	
EC50 - Other aquatic organisms [1]	717 mg/l waterflea
EC50 - Other aquatic organisms [2]	3300 mg/l
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
Geo Vertical Spray - Fluoro Colours (Orange,	Pink, Green)
Partition coefficient n-octanol/water (Log Pow)	Not available
12.4. Mobility in soil	
Geo Vertical Spray - Fluoro Colours (Orange,	Pink, Green)
Partition coefficient n-octanol/water (Log Pow)	Not available
12.5. Other adverse effects	
Ozone :	Not classified
Other adverse effects :	No additional information available
Geo Vertical Spray - Fluoro Colours (Orange,	Pink, Green)
Fluorinated greenhouse gases	False
Ethyl Acetate (141-78-6)	
Fluorinated greenhouse gases	False
Limestone (1317-65-3)	
Fluorinated greenhouse gases	False
Ethanol 100%	
Fluorinated greenhouse gases	False

SECTION 13: Disposal considerations	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information		
ADG	IMDG	ΙΑΤΑ
14.1. UN number		·
1950	1950	1950
14.2. UN Proper Shipping Name		
AEROSOLS	AEROSOLS	Aerosols, flammable
14.3. Transport hazard class(es)		
2.1	2.1	2.1

Safety Data Sheet

according to the WHS Regulations

ADG	IMDG	ΙΑΤΑ
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
14.6. Special precautions for user		
Specific storage requirement Shock sensitivity	: No data available : No data available	
14.7. Additional information		
Other information	: No supplementary information available	
Transport by road and rail UN-No. (ADG) Special provision (ADG) Limited quantities (ADG) Excepted quantities (ADG) Packing instructions (ADG) Special packing provisions (ADG)	 1950 63, 190, 277, 327, 344, 381 See SP 277 E0 P207, LP200 PP87, L2 	
Transport by sea UN-No. (IMDG) Special provisions (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Stowage and handling (IMDG) Segregation (IMDG)	 1950 63, 190, 277, 327, 344, 381, 959 P207, LP200 PP87, L2 F-D - FIRE SCHEDULE Delta - FLAMMAB S-U - SPILLAGE SCHEDULE Uniform - G/ None SW1, SW22 SG69 	LE GASES ASES (FLAMMABLE, TOXIC OR CORROSIVE
Air transport JN-No. (IATA) PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	: 1950 : E0 : Y203 : 30kgG : 203 : 75kg : 203 : 150kg : A145, A167, A802 : 10L	
14.8. Hazchem or Emergency Action Coc	le	
Jazabam Cada		

Hazchem Code

: Not applicable

Safety Data Sheet

according to the WHS Regulations

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS : Listed Inventory) status

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Relevant Poisons Schedule number : Unscheduled

15.2. International agreements

No additional information available

SECTION 16: Other information

Indication of changes:

Update of the SDS from former GHS version to the 7th edition of the GHS (GHS 7).

Data sources	: Safe Work Australia - Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals
	Safe Work Australia - Code of Practice - Labelling of Workplace Hazardous Chemicals
	Safe Work Australia - Workplace Exposure Standards for Airborne Contaminants
	Safe Work Australia - Hazardous Chemical Information System (HCIS)
	Australian Inventory of Industrial Chemicals (AICIS Inventory)
	Environmental Protection Authority - Hazardous Substances (Hazard Classification) Notice
	2020
	Environmental Protection Authority - Hazardous Substances (Safety Data Sheets) Notice 2017
	Environmental Protection Authority - Hazardous Substances (Labelling) Notice 2017
	New Zealand - Chemical Classification and Information Database (CCID)
	New Zealand - Inventory of Chemicals (NZIoC)
	European Chemicals Agency (ECHA) - Annex VI (C&L Inventory)
	European Chemicals Agency (ECHA) - REACH Study Results
	European Chemicals Agency (ECHA) - REACH Registration Dossiers
	United Nations - Globally Harmonised System of Classification and Labelling of Chemicals
	(GHS)
	Uniform Scheduling of Medicines and Poisons (SUSMP)
	United Nations Recommendations on the Transport of Dangerous Goods (UNRTDG Model
	Regulation)
	Australian Dangerous Goods Code (ADG Code)
	International Air Transport Association Dangerous Goods Regulations (IATA DGR)
	International Maritime Dangerous Goods (IMDG Code).
Date of revision	: 7/08/2023
	. 1/00/2020

Classification	
Aerosol 1	H222;H229
Eye Irrit. 2A	H319

Full text of H-statements	
Aerosol 1	Aerosol, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation

Safety Data Sheet

according to the WHS Regulations

Full text of H-statements	
H336	May cause drowsiness or dizziness

Safety Data Sheet (SDS), Australia

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.